

VILLAGE OF GREENDALE

6500 Northway • Greendale, WI 53129

414-423-2100 • Fax 414-423-2107

APPLICATION FOR DRIVEWAY APPROACH PERMIT

Date: _____

Permit No.: _____

Job Address: _____

Property Owner: _____ Phone No. (_____) _____

Contractor: _____

Contractor's Address: _____

Contractor's Phone No. (_____) _____

Existing Driveway Approach: Width: _____ ft. _____ in.

Proposed Driveway Approach: Width: _____ ft. _____ in.

It is understood and agreed that the new driveway approach will be constructed in accordance with the attached plans and specifications and that the existing grades will not be changed. Concrete shall be a minimum of seven (7) inches thick and asphalt shall be a minimum of three (3) inches thick on a six (6) inch crushed stone base. Concrete shall be a six-bag air-entrained mixture. Wire mesh shall not be placed in the driveway approach. It is further understood and agreed that if the street curb is replaced, contractor will install new curbing to match the existing street curb flange and flow line elevations. All damaged road pavement shall be restored to its original condition.

Signature of Applicant: _____

Print Name: _____

PRE-POUR INSPECTION IS REQUIRED. For inspection, call the Building Inspector at 423-2100 during regular office hours (8:00 a.m. to 9:30 a.m. or 3:30 p.m. to 4:30 p.m.), Monday through Friday.

W. Scott Satula, Building Inspector

40⁰⁰

~~\$30.00~~ Permit Fee paid on _____ Receipt No.: _____

Work Approved By: _____ Date: _____

(Acct. #223.08) Reinspection: _____